This listing of claims is provided for the Examiner's convenience. Claims 1 – 4 are the only originally presented claims presently under examination. Claims 5 – 8 stand withdrawn from consideration following Applicants' Election following a Restriction Requirement issued by the Office.

Listing of Claims:

5

- (Original) A water decontamination process comprising the step of
 contacting water containing anionic contaminants, selected from the group consisting of
 species including chromium and species including arsenic, with sorbent material that binds
 anionic species predominantly through the formation of surface complexes, wherein said
 sorbent material comprises divalent metals, trivalent metals and species selected from the
 group consisting of oxygen and sulfur.
- (Original) The process of claim 1 wherein the sorbent material comprises a chemical substance selected from the group consisting of

a first composition in which a species A has a prevalence of about half that of a species B, and a species X has a prevalence of about four times that of the species A

wherein for either composition A and B are metal species and X is selected from the group consisting of oxygen and sulfur.

3. (Original) The process of claim 1 wherein the sorbent material comprises a chemical substance selected from the group consisting of MgAl₂O₄, MnAl₂O₄, FeAl₂O₄, ZnAl₂O₄, MgFe₂O₄, MnFe₂O₄, Fe₃O₄, ZnFe₂O₄, NiFe₂O₄, CuFe₂O₄, Fe₃S₄, MgCr₂O₄, (Mn,Fe)(Cr,V)₂O₄, FeCr₂O₄, (Ni,Fe)(Cr,V)₂O₄, (Co,Ni)(Cr,Al)₂O₄, MgV₂O₄, FeV₂O₄,

5 (Mn,Fe)(V,Cr)₂O₄, Mg₂TiO₄. Fe₂TiO₄, Mn₃O₄, CuCo₂S₄, CuBi₂O₄, Mn(Mn,Fe)₂O₄ and ZnMn₂O₄.

10

5

10

- 4. (Original) The process of claim 2 wherein the sorbent material comprises a chemical substance having the first composition, and A is selected from the group consisting of Co²⁺, Cu²⁺, Fe²⁺, Mg²⁺, Mn²⁺, Ni²⁺, Zn²⁺, and combinations thereof, and B is selected from the group consisting of Al³⁺, Bi³⁺, Co³⁺, Cr³⁺, Fe³⁺, Mn³⁺, Ni³⁺, V³⁺ and combinations thereof.
- 5. (Withdrawn) A water decontamination medium comprising: sorbent material that binds anionic species, selected from the group consisting of species including chromium and species including arsenic, predominantly through the formation of surface complexes, wherein said sorbent material comprises divalent metals, trivalent metals and a species selected from the group consisting of oxygen and sulfur.
- 6. (Withdrawn) The decontamination medium of claim 6 wherein the sorbent material comprises a chemical substance selected from the group consisting of a first composition in which a species B has a prevalence of about twice that of a species A, and a species X has a prevalence of about four times that of the species A

wherein for either composition A and B are metal species and X is selected from the group consisting of oxygen and sulfur.

- 7. (Withdrawn) The decontamination medium of claim 6 wherein the sorbent material comprises a chemical substance selected from the group consisting of MgAl₂O₄, MnAl₂O₄, FeAl₂O₄, ZnAl₂O₄, MgFe₂O₄, MnFe₂O₄, Fe₃O₄, ZnFe₂O₄, NiFe₂O₄, CuFe₂O₄, Fe₃S₄, MgCr₂O₄, (Mn,Fe)(Cr,V)₂O₄, FeCr₂O₄, (Ni,Fe)(Cr,V)₂O₄, (Co,Ni)(Cr,Al)₂O₄, MgV₂O₄, FeV₂O₄, (Mn,Fe)(V,Cr)₂O₄, Mg₂TiO₄. Fe₂TiO₄, Mn₃O₄, CuCo₂S₄, CuBi₂O₄, Mn(Mn,Fe)₂O₄ and ZnMn₂O₄.
- 8. (Withdrawn) The decontamination of claim 7 wherein the sorbent material comprises a chemical substance having the first composition, and A is selected from the group consisting of Co²⁺, Cu²⁺, Fe²⁺, Mg²⁺, Mn²⁺, Ni²⁺, Zn²⁺, and combinations thereof, and B is selected from the group consisting of Al³⁺, Bi³⁺, Co³⁺, Cr³⁺, Fe³⁺, Mn³⁺, Ni³⁺, V³⁺ and combinations thereof.